



Headset Adapter Cable with Stereo Audio Aux Y-Splitter

3.5 mm Male to 2 x 3.5 mm Female, 20 cm (8 in.), Splits Single 3.5 mm Jack into Microphone-in and Audio-out, CTIA, Gold-plated Contacts, Black/Silver

Part No.: [356107](#)

EAN-13: 0766623356107 | UPC: 766623356107

Mic and Headphones Adapter - Dual Aux 3.5 mm Stereo Y Splitter Adapter Cable (M/2xF, CTIA) with Microphone-in and Audio-out to connect a headset with two 3.5 mm plugs to a single audio jack

The Manhattan Headset Adapter Cable with Stereo Audio Aux Y-Splitter converts a single 3.5 mm stereo jack into two jacks. It lets you connect a headset with two 3.5 mm plugs or a speaker/microphone setup to a laptop, MacBook[®], smartphone, tablet, PlayStation[®] (PS4/PS5) controller, Xbox[®] (One/Series S/Series X) controller and more. This Mic and Headphones Adapter is ideal for common calling applications, such as Skype, Teams or Zoom and in online gaming voice chats with your friends.

Perfect conductivity with Oxygen-free Copper (OFC) wire and gold-plated contacts

For best sound in HiFi quality, conductivity is everything because it maintains the integrity of the sound signals. To achieve maximum signal integrity, this cable comes with 24 karat gold-plated contacts and pure OFC wire. The durable jacket with strain relief remains highly flexible in all connection scenarios.

Features:

- One male and two female 3.5 mm stereo auxiliary connectors to split a single audio jack into mic-in and audio-out
- Lets you connect a headset with two 3.5 mm plugs or a speaker/microphone setup to a laptop, MacBook®, smartphone, tablet, PlayStation® (PS4/PS5), Xbox® (One/Series S/Series X) and more
- Premium HiFi quality with 24 karat gold-plated contacts and pure oxygen-free copper (OFC) wire
- Highly flexible, durable jacket with heavy-duty strain relief
- This cable uses CTIA pole configuration, which may result in only the earphones working - not the mic - when used with an OMTP-configured device
- Lifetime warranty

Specifications:**Standards and Certifications**

- CE
- RoHS
- REACH
- WEEE

General

- One 3.5 mm stereo male (TRRS, 4-pole)
- Two 3.5 mm stereo females (TRRS, 4-pole)
- CTIA pole configuration
- Gold-plated contacts
- PVC boot with strain relief
- Metal adapter shell
- OFC copper wire
- PVC jacket
- 28 AWG
- Length: 20 cm (8 in.)
- Outer diameter (OD): 3.5 mm (0.14 in.)
- Weight: 20 g (0.71 oz.)

Operating Environment

- Operation temperature: -5 - 80°C (23 - 176°F)
- Storage temperature: -10 - 85°C (14 - 185°F)

Package Contents

- Headset Adapter Cable with Stereo Audio Aux Y-Splitter

A version of this product is also available that connects two sets of headphones

but without microphone connectivity by the model shown:

- #356114

