



USB-C to 3.5 mm Audio Adapter with Dongle

USB-C Male to 3.5 mm Mic-in and Audio-Out Females, Black

Part No.: **153317**

EAN-13: 0766623153317 | UPC: 766623153317

The latest USB-C to 3.5 mm Audio Adapter with Dongle to plug-in, play and enjoy better audio performance

Ideal for desktop, notebook and netbook computers, this Manhattan USB-C Audio Adapter instantly creates microphone-in and audio-out ports through any USB-C port. The adapter's 3.5 mm ports securely hold plugs for headsets, microphones and speakers so you can work — and play — with confidence. With plug-and-play and hot-swap capabilities, this USB-C Audio Adapter can fully replace an inoperative sound card, bypass a damaged audio port or generally improve access to your device's audio capabilities without special drivers or software. A built-in Class-B power amplifier uses USB bus power to deliver high-quality sound, so there's no need for external power or additional cables. Audio support, 2.1 stereo sound and built-in sound effects with a 10-band equalizer deliver rich, high-quality experiences with familiar USB convenience and functionality.

Features:

- Instantly creates mic-in / audio-out connectivity through any USB-C port — ideal for desktop, notebook and netbook PCs
- Protects against electromagnetic interference to help you enjoy stable and great sound quality
- Improves access, bypasses a faulty sound card or audio ports, and upgrades audio performance

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Supports 2.1 stereo sound — includes preset sound effects with 10-band equalizer
- Plug and Play; no drivers or installation required
- Three-year warranty

Specifications:

Standards and Certifications

- USB 2.0
- USB audio device class V 1.0
- CE
- FCC
- RoHS2
- WEEE
- REACH

General

- 2.1 stereo sound
- Digital Class-B power amplifier
- Bus-powered

Chipset

- HS100B - C Media

Connections

- USB-C male
- Microphone-in 3.5 mm TRS (tip, ring, sleeve) port
- Audio-out 3.5 mm TRS (tip, ring, sleeve) port

Physical

- Dimensions: 41.2 x 25.1 x 12.1 mm (1.62 x 0.99 x 0.48 in.)
- Cable length: 110 mm (4.3 in.)
- Weight: 14 g (0.49 oz.)
- Housing: ABS

Operating Environment

- Operation Temperature: 0 – 85°C (32 – 185°F)
- Storage Temperature: -40 – 85°C (-40 – 185°F)
- Humidity (noncondensing): 0 – 95%

System Requirements

- Windows, Mac OS X, Chrome OS, Android

Package Contents

- USB-C Audio Adapter
- Quick Instruction Guide

