



PL-50

5-Channel AC Power Controller Monitor

| Ethernet - RJ-45



The PL-50 is a power controller that monitors and controls up to five power channels by detecting the power status of the connected units. Using an embedded Web server, the unit can schedule outlet activity and manage alarm response

FEATURES

Embedded Web Server Control - Schedules outlet activity, event response, and sets status of each channel separately

Alarm Management - Detects changes in the state of any channel, triggering an alarm or any other room activity via the relay

Status Change - Preset level buttons measure the standby mode and the active mode for reference

Alarm - Relay or via Web server

Indicators - A green active LED and an orange standby LED per channel, indicate the status of the outlet

Max. Power Capacity - 10A total

Flexible Control Options - Front panel, RS-232 (K-Router™ Windows®-based software is included), RS-485, Ethernet, USB and IR remote

Standard 19" Rack Mount Size - 1U. Rack "ears" included



TECHNICAL SPECIFICATIONS

INPUT POWER SOURCE:	230V AC, 50/60Hz, 10VA, internal (Europe); 130V AC, 50/60Hz, 10VA, internal (USA)
OUTPUTS:	5 100–120V AC outputs, total load of 10A max
INCLUDED ACCESSORIES:	Power cord, Windows® based Kramer control software, infrared remote control transmitter, rack "ears"
Product Dimensions	19" x 7.20 x 1U (43.6cm x 18.30cm x 4.36cm) W, D, H
Product Weight	2.0kg (4.3lbs) approx
Shipping Dimensions	55.00cm x 27.60cm x 10.70cm (21.65" x 10.87" x 4.21") W, D, H
Shipping Weight	2.8kg (6.1lbs) approx



CONFIGURATIONS

PL-50/IL	5-Channel AC Power Controller Monitor
PL-50/240V	5-Channel AC Power Controller Monitor
PL-50/220V	5-Channel AC Power Controller Monitor
PL-50/110V	5-Channel AC Power Controller Monitor
PL-50/100V	5-Channel AC Power Controller Monitor

