



C-USB/AB

USB 2.0 A (M) to B (M) Cable



Kramer's C-USB/AB is a high-speed USB 2.0 type-A male to type-B male cable used to connect computers and peripheral devices such as, printers, scanners, cameras, keyboards, mice and other digital devices for superior signal transfer of up to 480Mbps

FEATURES

USB Type-A Male to Type-B Male

Transfer Rates up to 480Mbps

Foil & Overall Braid Provide Maximum Protection Against EMI/RFI

Molded Strain Relief

Compatible with USB Specifications 1.0 and 1.1

RoHS Compliant

Varied Selection of Lengths - Available in versions of 3 to 15ft (0.9 to 4.6m)

Note - The cable's color can vary in some cases



TECHNICAL SPECIFICATIONS

OVERALL	TYPE: USB 2.0 High speed
	MAX. DATA RATE: 480Mbps
PHYSICAL	CONNECTOR A: USB type-A male
	CONNECTOR B: USB type-B male
	CONNECTOR PLATING: Nickel
	CONDUCTORS: 3-6ft: 28AWG; 10-15ft: 28/24AWG
	OVERALL SHEATH DIAMETER: 3-6ft: 3.5mm, 10-15ft: 4.5mm
REGULATORY	OUTER SHEATH COLOR: Gray
	STANDARDS: 2011/65/EU



CONFIGURATIONS

C-USB/AB-3	USB 2.0 A (M) to B (M) Cable
C-USB/AB-6	USB 2.0 A (M) to B (M) Cable
C-USB/AB-10	USB 2.0 A (M) to B (M) Cable
C-USB/AB-15	USB 2.0 A (M) to B (M) Cable