



kramer

BCP-5X

Bulk 5 Mini Coax High-Resolution Cable -
Plenum Rated



Kramer's BCP-5X is a plenum rated, high-resolution, five mini coaxial cable perfect for routing computer graphic video signals in professional AV systems

FEATURES

Plenum Rated - The low smoke and fire-resistant properties of plenum rated cable allow it to reside in air return spaces of ceiling, floors, and walls, often saving the cost of installing conduit

Quality Construction - Each mini coax has an industry standard 26 gauge center conductor and a dual shield design consisting of copper spiral and aluminum Mylar foil. Coax jackets are color-coded red, green, blue, yellow, black

Numerous Applications - When terminated with RCA connectors, BCP-5X becomes an excellent plenum rated cable for component video and unbalanced stereo audio

Universal Compatibility - Compatible with Kramer's compression connectors as well as typical crimp systems

Varied Selection of Lengths - Available in reels of 75/150/300m (246/492/984ft)



kramer

TECHNICAL SPECIFICATIONS

CONSTRUCTION	Coax Center Conductor: 26 AWG 7/34 tinned copper Dielectric: Foamed FEP Shield: (A) 38 AWG tinned copper 95% spiral braid. (B) 100% aluminum Mylar foil Coax Jacket Colors: Red, green, blue, yellow, black Outer Jacket: Lead free plenum rated PVC Outer Jacket Color: Black with white lettering
DIAMETERS	Center Conductor: 0.48mm (0.019in) Dielectric: 1.83mm (0.072in) Individual Coax: 2.59mm (0.102in) Outside Diameter: 7.62mm (0.300in)
ELECTRICAL	Impedance: 75Ω DC Resistance: 134.5Ω/km (41Ω/1000ft) Capacitance: 16.0pF/ft Velocity Of Propagation: 83% Attenuation (db/100ft): -5.1dB @100MHz -7.4dB @200MHz -11.8dB @400MHz -21.4dB @1000MHz Voltage: 150V RMS Temperature: -6° to 75°C (21° to 167°F)
REGULATORY	UL: CL2P C (UL): CMP NEC: In accordance with article 725 RoHS: In compliance with European directive 2002/95/IEC Note: For best results, keep plenum cable at room temperature for 24 hours before use



CONFIGURATIONS

BCP-5X-250 5 Coax 26 AWG Mini-Coax Plenum Bulk Cable

BCP-5X-500 5 Coax 26 AWG Mini-Coax Plenum Bulk Cable

BCP-5X-1000 5 Coax 26 AWG Mini-Coax Plenum Bulk Cable
