



FC-32

DVI to Computer Graphics/Component/HDTV
Video Format Converter

| DVI



The FC-32 is a high-performance format converter for DVI-D signals. The unit converts (without scaling) a DVI-D input to a computer graphics or component video output on a 15-pin HD connector

FEATURES

HDTV Compatible

Max. Resolution - WUXGA & 1080p

Computer Graphics Video or Component (HDTV) Selector Switch

Compact DigiTOOLS® - 3 units can be rack mounted side-by-side in a 1U rack space with the recommended rack adapter



TECHNICAL SPECIFICATIONS

INPUT:	1 DVI-D, 1.2Vpp on a Molex 24-pin (F) connector, DDC signal 5Vpp (TTL)
OUTPUT:	1 VGA or YPbPr on a 15-pin HD (F) connector; YPbPr is with bi-level sync
RESOLUTION:	Up to WUXGA, 1080p
CONTROL:	Switch for RGB/YPbPr selection
POWER CONSUMPTION:	5V DC, 570mA
OPERATING TEMPERATURE:	0° to +40°C (32° to 104°F)
STORAGE TEMPERATURE:	-40° to +70°C (-40° to 158°F)
HUMIDITY:	10% to 90%, RHL non-condensing
INCLUDED ACCESSORIES:	Power supply
Product Dimensions	10.68cm x 10.35cm x 4.36cm (4.20" x 4.07" x 1.72") W, D, H 12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96") W, D, H
Product Weight	0.0kg (0.0lbs) approx 0.3kg (0.7lbs) approx
Shipping Dimensions	23.20cm x 12.00cm x 8.90cm (9.13" x 4.72" x 3.50") W, D, H 23.20cm x 12.00cm x 8.90cm (9.13" x 4.72" x 3.50") W, D, H
Shipping Weight	0.7kg (1.6lbs) approx 0.7kg (1.6lbs) approx

